

0062395

SAF-B01-017
100-B/C Area Near Field Monitoring -
Air Filter Analysis
45 DAY PACKAGE

COMPLETE COPY OF DATA PACKAGE TO:

Joan Kessner

H9-02

mjp 4-20-04
INITIAL/DATE

DIS

mjp 4-20-04
INITIAL/DATE

COMMENTS: (PLEASE INCLUDE THE FOLLOWING ON THE FAX COVER SHEET)

SDG

20040507

SAF-B01-017

X Rad only

Chem only

Rad & Chem

X Complete

Partial

**AIR QUALITY
DOCUMENT**

RECEIVED
AUG 17 2004

EDMC

WSCF Sample Site Cross-Reference Report


Group#: 20040507

B01-017

Date Printed: 31-mar-2004

Sample#	Site Name	Sample ID
W04F000811	N466	S602066
W04F000812	N497	S602076
W04F000813	N496	S602075

**AIR QUALITY
DOCUMENT**



WSCF ANALYTICAL RESULTS REPORT

for

Effluent and Environmental Monitoring (EEM)
Post Office Box 1970 T6-36
Richland, WA 99352

Attention: Larry Diediker

AIR QUALITY
DOCUMENT

Analytical: _____

Client Services: _____

All results are reported on an "as received" basis unless otherwise noted in the comment section.

Confidentiality Notice: The information contained in this report is privileged and confidential information intended only for the use of the addressee. If the reader of this report is not the intended recipient, or the employee or agent responsible to deliver it to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify us immediately by telephone at (509) 373-7020.

Report#: 20040507
Report Date: 31-mar-2004
Report W004/ver. 5.2
Effluent and Environmental Monitoring (EEM)



WSCF

ANALYTICAL RESULTS REPORT

Attention:
Project:

Larry Diediker
100BC: Bechtel Doghouse 100BC

Group #: 20040507

Sample #	Client ID	CAS #	Test Performed	Matrix	WSCF Method	RQ	Result	Unit	DF	MDL	Analyze	Sample	Receive
W04F000811	S602066		Gross Alpha	FILTER	LA-508-415		1.30e-06	uCi	1.00	4.2e-07	03/29/04	03/15/04	03/25/04
W04F000811	S602066	E,T,C	Gross Alpha Abs. Cntg Error	FILTER	LA-508-415		5.63e-07	uCi	1.00	0.0	03/29/04	03/15/04	03/25/04
W04F000811	S602066	12587-47-2	Gross Beta	FILTER	LA-508-415		1.15e-05	uCi	1.00	9.5e-07	03/29/04	03/15/04	03/25/04
W04F000811	S602066	E,T,C	Gross Beta Absolute Cntg Error	FILTER	LA-508-415		1.43e-06	uCi	1.00	0.0	03/29/04	03/15/04	03/25/04
W04F000812	S602076		Gross Alpha	FILTER	LA-508-415		6.87e-07	uCi	1.00	4.2e-07	03/29/04	03/15/04	03/25/04
W04F000812	S602076	E,T,C	Gross Alpha Abs. Cntg Error	FILTER	LA-508-415		5.48e-07	uCi	1.00	0.0	03/29/04	03/15/04	03/25/04
W04F000812	S602076	12587-47-2	Gross Beta	FILTER	LA-508-415		1.23e-05	uCi	1.00	9.5e-07	03/29/04	03/15/04	03/25/04
W04F000812	S602076	E,T,C	Gross Beta Absolute Cntg Error	FILTER	LA-508-415		1.48e-06	uCi	1.00	0.0	03/29/04	03/15/04	03/25/04
W04F000813	S602075		Gross Alpha	FILTER	LA-508-416		1.42e-06	uCi	1.00	4.2e-07	03/29/04	03/15/04	03/25/04
W04F000813	S602075	E,T,C	Gross Alpha Abs. Cntg Error	FILTER	LA-508-415		5.88e-07	uCi	1.00	0.0	03/29/04	03/15/04	03/25/04
W04F000813	S602075	12587-47-2	Gross Beta	FILTER	LA-508-415		1.22e-05	uCi	1.00	9.5e-07	03/29/04	03/15/04	03/25/04
W04F000813	S602075	E,T,C	Gross Beta Absolute Cntg Error	FILTER	LA-508-415		1.47e-06	uCi	1.00	0.0	03/29/04	03/15/04	03/25/04

AIR QUALITY
DOCUMENT

MDL=Minimum Detection Limit

RQ=Result Qualifier

DF=Dilution Factor

* - Indicates results that have NOT been validated; + - Indicates more than six qualifier symbols

Report W004/ver. 5.2

Effluent and Environmental Monitoring (EEM)

WSCF ANALYTICAL COMMENT REPORT

Attention:
Project Number

Group #: 20040507

Sample #	Client ID	Lab Area	Test	Comment
----------	-----------	----------	------	---------

**AIR QUALITY
DOCUMENT**

Lab Areas: VALGROUP - Group Validation
LOGSAMP - Login for Sample

VALTEST - Test Validation
LOGTEST - Login for Tests

TESTDATA - Test Data Entry

This report may not be reproduced, except in its entirety without the written approval of the WSCF Laboratory.

WSCF
TENTATIVELY IDENTIFIED PEAK REPORT

Attention:
Project Number

:

Group #: 20040507

Sample #	Client ID	Test Name	Peak Name	CAS#	RT	RQ	Result	Units
----------	-----------	-----------	-----------	------	----	----	--------	-------

**AIR QUALITY
DOCUMENT**

RQ=Result Qualifier

This report may not be reproduced, except in its entirety without the written approval of the WSCF Laboratory.

WSCF

METHOD REFERENCES REPORT

The results provided in this report were generated using the following WSCF Laboratory procedures. For your convenience, this table provides a listing of the regulatory or industry methods that are referenced by each of these WSCF procedures. Please note that the most recent version of the regulatory or industry method is listed here even though the WSCF procedure may reference an older version of the method. Also, a reference to a regulatory or industry method here does not necessarily indicate a verbatim implementation of that method.

LA-508-415	LA-508-415: OPERATION OF THE 2-INCH PROTEAN ALPHA/BETA COUNTING SYSTEM FOR GROSS
None	No reference to any industry method.

**AIR QUALITY
DOCUMENT**

Note: A complete list of WSCF analytical procedures and referenced regulatory or industry methods is available online at <http://apweb02/asponlinedocs/wscf/sample%20mgmt/ProcedureMethodCrossReference.pdf>. This document includes on-line links to full-text versions of the procedures and methods, where available.

Report Date: 31-mar-2004

Report#: 20040507

Report W04M/2